

L Number	Hits	Search Text	DB	Time stamp
1	520	(window or windshield or glazing) and (frame near10 (extrude or extruding or extruded)) and (roll or roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 07:51
2	80	(window or windshield or glazing) and (frame near10 (extrude or extruding or extruded)) and ((press or pressing or pressed) near10 (roll or roller))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:21
3	599	156/107	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:08
5	0	156/107 and (frame near10 (extrude or extruding or extruded))	USOCR	2003/10/01 08:09
6	49	156/108 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:09
8	0	156/109 and (frame near10 (extrude or extruding or extruded))	USOCR	2003/10/01 08:09
9	25	156/109 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:09
10	38	156/244.11 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:09
11	0	156/244.11 and (frame near10 (extrude or extruding or extruded))	USOCR	2003/10/01 08:09
12	0	156/244.27 and (frame near10 (extrude or extruding or extruded))	USOCR	2003/10/01 08:09
13	6	156/244.27 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:10
14	23	156/500 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:10
17	0	156/538 and (frame near10 (extrude or extruded or extruding))	USOCR	2003/10/01 08:10
24	0	296/96.21 and (frame near10 (extrude or extruded or extruding))	USOCR	2003/10/01 08:11
25	47	296/201 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:12
26	0	296/201 and (frame near10 (extrude or extruded or extruding))	USOCR	2003/10/01 08:12
27	33	425/113 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:12
29	20	264/176.1 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:13
30	0	264/176.1 and (frame near10 (extrude or extruded or extruding))	USOCR	2003/10/01 08:13
4	29	156/107 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:40
31	35	((156/108 and (frame near10 (extrude or extruded or extruding))) not ((156/107 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:22
7	1	156/108 and (frame near10 (extrude or extruding or extruded))	USOCR	2003/10/01 08:26
32	7	((156/109 and (frame near10 (extrude or extruded or extruding))) not (((156/108 and (frame near10 (extrude or extruded or extruding)))) or (156/107 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:28

33	17	(156/244.11 and (frame near10 (extrude or extruded or extruding))) not ((156/109 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:29
34	1	(156/244.27 and (frame near10 (extrude or extruded or extruding))) not ((156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:29
35	11	(156/500 and (frame near10 (extrude or extruded or extruding))) not ((156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:35
15	1	156/500 and (frame near10 (extrude or extruded or extruding))	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:31
16	2	156/538 and (frame near10 (extrude or extruded or extruding))		2003/10/01 08:31
20	3	156/361 and (frame near10 (extrude or extruded or extruding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:33
21	1	156/361 and (frame near10 (extrude or extruded or extruding))	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:33
22	16	296/96.21 and (frame near10 (extrude or extruded or extruding))		2003/10/01 08:34
37	29	(296/201 and (frame near10 (extrude or extruded or extruding))) not ((296/96.21 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:36
38	27	(425/113 and (frame near10 (extrude or extruded or extruding))) not ((296/201 and (frame near10 (extrude or extruded or extruding))) or (296/96.21 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:40
28	2	425/113 and (frame near10 (extrude or extruded or extruding))	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:39
40	0	264/319 and (frame near10 (extrude or extruded or extruding))		2003/10/01 08:40
41	0	264/319 and (frame near10 (extrude or extruded or extruding))	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:40
39	18	(264/176.1 and (frame near10 (extrude or extruded or extruding))) not ((425/113 and (frame near10 (extrude or extruded or extruding))) or (296/201 and (frame near10 (extrude or extruded or extruding))) or (296/96.21 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (frame near10 (extrude or extruded or extruding))))		2003/10/01 08:42

42	67	156/107 and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:06
43	64	156/108 and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:42
44	68	156/109 and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:43
45	56	(156/107 and (roll or roller) and (extrude or extruding or extruded)) not ((156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:43
46	39	(156/108 and (roll or roller) and (extrude or extruding or extruded)) not ((156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 08:53
47	17	(156/109 and (roll or roller) and (extrude or extruding or extruded)) not ((156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:03
48	3	156/107 and (roll or roller) and (extrude or extruding or extruded)	USOCR	2003/10/01 09:08
49	2	156/108 and (roll or roller) and (extrude or extruding or extruded)	USOCR	2003/10/01 09:05
50	4	156/109 and (roll or roller) and (extrude or extruding or extruded)	USOCR	2003/10/01 09:06
51	19	296/96.21 and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:06
53	15	(296/96.21 and (roll or roller) and (extrude or extruding or extruded)) not ((156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:07
54	15	(296/96.21 and (roll or roller) and (extrude or extruding or extruded)) not ((156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:14
52	2	296/200 and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:07
57	32	156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USOCR	2003/10/01 09:11
58	0	156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USOCR	2003/10/01 09:09
59	0	156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USOCR	2003/10/01 09:09
55	19	156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USOCR	2003/10/01 09:13
56	12	156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USOCR	2003/10/01 09:11

60	26	(156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) not ((156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)))	USOCR	2003/10/01 09:11
61	409	156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:37
62	118	156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:13
63	105	156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:13
64	7	156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:13
65	32	156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:43
66	383	(156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) not ((156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/500 and (frame near10 (extrude or extruded or extruding)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:15
67	47	(156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) not ((156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/500 and (frame near10 (extrude or extruded or extruding)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:24
68	59	(156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) not ((156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/500 and (frame near10 (extrude or extruded or extruding)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:34

74	48	(264/319 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) not ((264/176.1 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/500 and (frame near10 (extrude or extruded or extruding))) or (264/176.1 and (frame near10 (extrude or extruded or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:44
75	200	156/107 and (roll or roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:44
76	212	156/108 and (roll or roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:44
77	172	156/109 and (roll or roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:44

78	133	(156/107 and (roll or roller)) not (((264/176.1 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) not ((156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruding or extruded))) or (156/108 and (frame near10 (extrude or extruding or extruding))) or (156/109 and (frame near10 (extrude or extruding or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruding or extruding))) or (156/244.27 and (frame near10 (extrude or extruding or extruding))) or (156/500 and (frame near10 (extrude or extruding or extruding))) or (264/176.1 and (frame near10 (extrude or extruding or extruding)))) or (264/176.1 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruding or extruding))) or (156/108 and (frame near10 (extrude or extruding or extruding))) or (156/109 and (frame near10 (extrude or extruding or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruding or extruding))) or (156/244.27 and (frame near10 (extrude or extruding or extruding))) or (156/500 and (frame near10 (extrude or extruding or extruding))) or (264/176.1 and (frame near10 (extrude or extruding or extruding))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 09:44
----	-----	--	---	------------------

79	147	<p>(156/108 and (roll or roller)) not ((156/107 and (roll or roller)) or ((264/176.1 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) not ((156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/500 and (frame near10 (extrude or extruded or extruding))) or (264/176.1 and (frame near10 (extrude or extruded or extruding))) or (264/176.1 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/500 and (frame near10 (extrude or extruded or extruding))) or (264/176.1 and (frame near10 (extrude or extruded or extruding)))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT</p>	2003/10/01 10:15
----	-----	--	---	------------------

80	38	(156/109 and (roll or roller)) not ((156/108 and (roll or roller)) or (156/107 and (roll or roller)) or ((264/176.1 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) not ((156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/500 and (frame near10 (extrude or extruded or extruding))) or (264/176.1 and (frame near10 (extrude or extruded or extruding)))))) or (264/176.1 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/361 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/538 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/500 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.27 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (window or windshield or glazing or glass) and (roll or roller) and (extrude or extruding or extruded)) or (156/107 and (frame near10 (extrude or extruded or extruding))) or (156/108 and (frame near10 (extrude or extruded or extruding))) or (156/109 and (frame near10 (extrude or extruded or extruding))) or (156/107 and (roll or roller) and (extrude or extruding or extruded)) or (156/108 and (roll or roller) and (extrude or extruding or extruded)) or (156/109 and (roll or roller) and (extrude or extruding or extruded)) or (156/244.11 and (frame near10 (extrude or extruded or extruding))) or (156/244.27 and (frame near10 (extrude or extruded or extruding))) or (156/500 and (frame near10 (extrude or extruded or extruding))) or (264/176.1 and (frame near10 (extrude or extruded or extruding))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/01 10:28
-	5	((("6394164") or ("4109432"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/30 20:27
-	2	("5645785").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/30 20:17